EUHUPEAN PAIENI U

Patent Abstracts of Japan

PUBLICATION NUMBER

57140339

PUBLICATION DATE

30-08-82

APPLICATION DATE

24-02-81

APPLICATION NUMBER

56025646

APPLICANT: NIPPON SHEET GLASS CO LTD;

INVENTOR: ATAKA KOICHI;

INT.CL.

: C03C 15/00 C03C 17/23 C03C 23/00

TITLE

REMOVING METHOD FOR METALLIC OXIDE FILM

ABSTRACT :

PURPOSE: To easily obtain a substrate having a stuck metallic oxide film of a prescribed shape by coating part of a metallic oxide film of Fe oxide or the like stuck to a substrate with a synthetic resin sheet and treating the film with a heated aqueous acid soln.

CONSTITUTION: To provide electric conductivity, chromatic, decorative and mirror effects, etc. to a substrate of glass or the like a film of ≥1 kind of metallic oxide selected from Fe, Cr, Co, Ti, Cu, Ni, Mn, Zn, In, Al, V, Mo and W oxides or said metallic oxide and ≤20wt% SnO is stuck to the substrate, and the desired part of the film is coated with an acid-proof synthetic resin sheet of vinyl chloride resin or the like using a thermoplastic resin such as polyvinyl alcohol or a thermosetting resin such as phenol resin as an adhesive. The film is then treated with a ≥4wt% aqueous soln. of ≥1 kind of acid selected from sulfuric acid, nitric acid, hydrochloric acid and phosphoric acid or a mixture of said soln, with other acid soln, at ≥80°C to dissolve and remove the uncoated part of the film. Then, a metallic oxide film of the desired shape is obtd.

COPYRIGHT: (C)1982,JPO&Japio

The Delphion Integrated View

Buy Now: More choices... Tools: Add to Work File: Create new Work File > -View: INPADOC | Jump to: Top Go to: Derwent...

> ଟTitle: JP57140339A2: REMOVING METHOD FOR METALLIC OXIDE FILM

JP Japan & Country:

ହ Kind:

KAWAHARA HIDEO:

ATAKA KOICHI:

8 Assignee:

NIPPON SHEET GLASS CO LTD

News, Profiles, Stocks and More about this company

Published / Filed:

Aug. 30, 1982 / Feb. 24, 1981

JP1981000025646

Number:

C03C 15/00; C03C 17/23; C03C 23/00; 위IPC Code:

Priority Number:

Feb. 24, 1981 JP1981000025646

위Abstract:

PURPOSE: To easily obtain a substrate having a stuck metallic oxide film of a prescribed shape by coating part of a metallic oxide film of Fe oxide or the like stuck to a substrate with a synthetic resin sheet and treating the film with a heated aqueous acid soln.

CONSTITUTION: To provide electric conductivity, chromatic, decorative and mirror effects, etc. to a substrate of glass or the like a film of >1 kind of metallic oxide selected from Fe, Cr, Co, Ti, Cu, Ni, Mn, Zn, In, Al, V, Mo and W oxides or said metallic oxide and ≤ 20wt% SnO is stuck to the substrate, and the desired part of the film is coated with an acid-proof synthetic resin sheet of vinyl chloride resin or the like using a thermoplastic resin such as polyvinyl alcohol or a thermosetting resin such as phenol resin as an adhesive. The film is then treated with a ≥4wt% aqueous soln. of ≥1 kind of acid selected from sulfuric acid, nitric acid, hydrochloric acid and phosphoric acid or a mixture of said soln, with other acid soln. at >80°C to dissolve and remove the uncoated part of the film.

COPYRIGHT: (C)1982,JPO&Japio

Then, a metallic oxide film of the desired shape is obtd.

영 Family:

PDF	Publication	Pub. Date	Filed	Title	
	JP57140339A2	Aug. 30, 1982	Feb. 24, 1981	KINZOKUSANKABUTSUHIMAKUNOJOKYO	
	JP1042902B4	Sept. 18, 1989	Feb. 24, 1981	KINZOKUSANKABUTSUHIMAKUNOJOKYO	

REST AVAILABLE COPY

PDF	Patent	Pub.Date	Inventor	Assignee	Title
Z	US6406639	2002-06-18	Sakaguchi; Koichi		Method of partially forming oxide layer on glass substrate
蹇	US6231924	2001-05-15	Sakaguchi; Koichi		Method of partially forming oxide layer
7 2	<u>US5720791</u>	1998-02-24	Miyaura; Tomoko	I Minoitalio Ita	Method of producing an optical lens element

POther Abstract Info: CHEMABS 098(06)039526Z







Nominate this for the Gallery...

© 1997-2002 Delphion, Inc.

Research Subscriptions | Privacy Policy | Terms & Conditions | Site Map | Contact Us

BEST AVAILABLE COPY